




Teknel: leader in induction heating systems

Quality Made in Italy www.teknel.com

MADEINITALY





INDUCTION HEATING

Overheat any type of metal, including aluminium, in a few seconds and improve the quality of the finished product thanks to the Teknel induction heaters. Designed to operate in workshops, structural metal shops, factories and shipyards, they can perform the job in a few seconds.

With traditional heating methods with heating elements or flame, work is carried out slowly and unevenly.

Gas-fuelled flames bring the surface temperature of the metal over 3000°C, with inevitable changes in the structural characteristics.

Induction heating on the other hand only generates heat in the required spot and improves the quality standards of the finished job: it quickly raises the metal to high temperatures, but 500-600 ° C is sufficient to perform straightening, bending operations, pin, bearing, bolt replacement, etc.

Teknel is specialised in the design and production of induction heating systems and boasts a range of unrivalled models. Teknel induction heaters are used in over 40 countries around the world.



NEW

The range of Teknel heaters is completely new: **it is possible to heat more quickly and work uninterruptedly**. The improved performance comes alongside a new, more modern design. Start working and see the difference for yourself. Teknel, the best heaters ever.



EFFICIENT

Teknel induction heaters provide a very high efficiency. They heat more and consume less than other machines on the market.

If you use a low efficiency heater, consumption is high and the heating output is low.

Accordingly, on average, using a Teknel induction heater **will save you 300** hours of work and $1000 \in$ a year on your power bill.

Regardless of the high power of Teknel induction heaters, consumption is very low: this is because of the high efficiency and the very brief operating times of the machines.



ECOLOGICAL - eliminate CO2 emissions.

Fossil fuels are not burned when using a Teknel induction heater.

Without using a flame you can **save up** to 50% and at the same time **help protect the environment avoiding CO2 emissions** due to fossil fuel combustion. If your company is also equipped with photovoltaic panels, greenhouse gas emissions are eliminated and you offer a significant contribution to fighting global warming.



SAFE

No naked flames and cylinders means increased safety in the workplace.

All Teknel heaters are designed to guarantee maximum performance and reliability: each of them is equipped with an **INSULATION TRANSFORMER** to guarantee absolute operator safety, also in the most unexpected and adverse situations.



PATENTED CUTTING EDGE TECHNOLOGY

The machines are managed by a powerful latest generation ARM-Cortex M4 processor with T-DIP (Teknel Digital Induction Processing) technology that guarantees process quality, high adjustment precision and high level of adaptability to various operating conditions.

All of our machines can be connected to company networks interfaced with PCs and PLCs through MODBUS protocol which allows **automating the machine**.

By connecting an external thermocouple or a pyrometer it is possible to take the temperature reading of the piece being heated with extreme precision. It is also possible to set the heating time.

They can also be built with hermetic seal for use in particularly critical environments such as foundries, extraction and industrial plants in general.

Our systems use high power, latest generation IGBT technology protected against short circuits and overcurrent.

Our **automatic temperature control is patented**. Upon reaching the Curie temperature (770 ° C for iron), the heating can be automatically stopped before changing the characteristics of the metal.

We can make torches and tubes of various lengths, with **patented connections for quick replacement** in less than 10 seconds.

BUTTERFLY

3,5 kW

LY Cod. BFH01 PORTABLE INDUCTION HEATER


Compact, lightweight and powerful - 3.5kW

An exceptional induction heater with integrated liquid cooling that allows uninterrupted operation. The compact size body is made entirely out of aluminium. Weighing just 7 kg it is convenient and easy to carry, suitable for workshops, body shops and tyre shops.

It immediately heats the piece, for straightening and releasing elements in **ferrous material or aluminium**, releasing steering arms or rusty bolts, removing grouts and paints.



TWICE THE HEATING, HALF THE CONSUMPTION AND WEIGHT!



It creates heat directly inside the metal at a depth of 2.5 mm. It can heat a surface area of 30x30mm (thickness 3mm) to red heat (800°C) in just 4 seconds.

It is also equipped with an **INSULATION TRANSFORMER** that protects the operator even in the most unexpected situations.

The machine's circuit board is fully assembled with the latest SMT technology which guarantees high circuit quality and very high efficiency.


- Optional trolley
- Optional torch support arm

NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR		
Cod. IND358NM	Cod. IND358FRNM	Cod. RND358NM	Cod. IND3RX		
SHUCKO 230 V 2P+T+PE 50-60Hz freq. KHz	-AM- 20°C				
3,5 kW √ 20–60	20 20 minutes MAX POWER 1,8	4 Liquid Cooling	2,5 7 21x45x26		





Presented for the first time at the Automechanika 2018 fair in Frankfurt, the portable Spitfire induction heater is a one-of-a-kind machine for its characteristics: it is compact, it weighs 15 kg, it features 6.2 kW of power and integrated liquid cooling.

Suitable for straightening and releasing **ferrous material and aluminium elements**. The water cooling system makes it possible to perform heating jobs without interruption.





It is the smallest heater of its kind, suitable for workshops, structural metal shops, body shops and tyre shops, for straightening, bending, replacement of bearings, releasing rusty bolts and removing grouts and paints.

Thanks to its compact dimensions it can be easily carried to perform any job, anywhere.

It is also equipped with an **INSULATION TRANSFORMER** that protects the operator even in the most unexpected situations.

The machine's circuit board is fully assembled with the latest SMT technology which guarantees high circuit quality and very high efficiency.


- Optional trolley
- Optional torch support arm

NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR
Cod. IND358NM	Cod. IND358FRNM	Cod. RND358NM	Cod. IND3RX

	400 V	freq. kHz	+AM+	20°C	m.			It	Kg	Z Y≁Cm.*X
6,2 kW	@ 16A	20-50	10	20 minutes MAX POWER	2	5	Liquid Cooling	2,5	15	30x53x25



Teknel has reached a new world record: the first portable heater in the world with 8 kW of power and integrated liquid cooling.

It is equipped with high power electronics managed by a 32-bit ARM-Cortex M4 processor and is considered a prime example of miniaturisation, developed from the experience gained over years through constant research and development.

Suitable for straightening and releasing ferrous material and aluminium elements. The water cooling system makes it possible to perform heating jobs without interruption.







- Optional trolley Optional torch

HIGH EFFICIENCY INDUCTORS

Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.







It creates heat directly inside the metal at a depth of 5 mm. It can heat a surface area of 15x15mm (thickness 5mm) to red heat (800°C) in a single second.

Thanks to its compact dimensions it can be easily carried to perform any job, anywhere. The lighter weight body is built entirely out of aluminium and the new patented inductor increases the yield by 30%.

Weighing just 16 kg, it is the smallest heater of its kind, situations.



_

Cod. IHD03

3,9 kW

INDUCTION HEATER

Exceptional efficiency induction heater. Compact yet extremely powerful and efficient. It immediately heats the piece, for straightening and releasing **ferrous material or aluminium elements**. The liquid cooling system makes it possible to perform heating jobs for prolonged amounts of time without interruption.

It creates heat directly inside the metal at a depth of 2.5 mm. It can heat a surface area of 30x30mm (thickness 3mm) to red heat (800°C) in just 3 seconds. No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts. Weighing just 39 kg it is small and convenient, suitable for workshops, body shops and tyre shops.

The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.





NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR
Per la compañía de la			
Cod. IND358NM	Cod. IND358FRNM	Cod. RND358NM	Cod. IND3RX

AN A	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	-AM-	20°C	m			It	Kg	Z Y≝Cm.*X
3,9 kW	\checkmark	20–60	20	45 minutes MAX POWER	3	6	Liquid Cooling	5	39	43x43x62



Cod. IHD04

3,9 kW

INDUCTION HEATER

Exceptional efficiency induction heater. Extremely powerful and efficient. It immediately heats the piece, for straightening and releasing **ferrous material or aluminium elements**. The liquid cooling system, upgraded in comparison to the 3.9 kW model, makes it possible to perform heating jobs for much longer amounts of time without interruption.

It creates heat directly inside the metal at a depth of 2.5 mm. It can heat a surface area of 30x30mm (thickness 3mm) to red heat (800°C) in just 3 seconds. No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts. Weighing just 60 kg it is quite compact and convenient, suitable for car shops, body shops and tyre shops.

The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.

It performs all of the most common heating, straightening, bending, nut and bearing replacement operations quickly and easily.

- Optional: Timer to set the operating time

TEKNE

NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR
Per a			
Cod. IND358NM	Cod. IND358FRNM	Cod. RND358NM	Cod. IND3RX

- AN	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	-AM-	20°C	m			It	Kg	Z Y≝Cm.→X
3,9 kW	\checkmark	20-60	20	continuous	3	10	BOOSTED Liquid Cooling	20	63	43x43x104

DRAGON 500 - 230V Cod. IHD05

5,4 kW

INDUCTION HEATER

With 5.4kW of power and single-phase 230V power supply, this machine with compact dimensions and exceptional efficiency is the perfect solution for shops that do not have threephase 400V.

It immediately heats the piece, for heating, straightening and releasing ferrous material or aluminium elements. The very powerful liquid cooling system makes it possible to perform heating jobs continuously without interruption.

With its 65 kg it is easy to handle and takes up very little space, used in body shops and car shops for straightening, bending, bearing replacement and bolt release operations. It is also equipped with a special INSULATION TRANSFORMER that guarantees maximum operator safety, even in the most unexpected situations.

- Optional: Timer to set the operating time

16A





NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR FRONT INDUCTOR				UND TIP DUCTOR	RI	RING INDUCTOR		
		a constant of the			C			
Cod. IND358NM	Cod. INI	D358FRNM	Cod. F	ND358NM		Cod. IND	3RX	
				200 A	1		Z	
230 V freq. k		20°C			It	_ Kg _	Y≝Cm.™X	
5,4 kW 60 20-5	0 25 0	ontinuous 3	10	Liquid Cooling	20	65	43x43x104	



Cod. IHD06

6,2 kW

INDUCTION HEATER

With 6.2kW of power and 400V three-phase power supply, this machine with compact dimensions and exceptional efficiency is the perfect solution for car workshops.

It immediately heats the piece, for heating, straightening and releasing **ferrous material or aluminium elements**. The very powerful liquid cooling system makes it possible to perform heating jobs continuously without interruption.

Weighing just 65 kg, it is the smallest heater of its kind, suitable for workshops, body shops and structural metal shops, for straightening, bending, replacement of bearings, releasing rusty bolts, removing grouts and paints. It is also equipped with a special **ISOLATING TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected situations.





NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRON	FRONT INDUCTOR			UND TIP DUCTOR	RI	RING INDUCTOR		
And a second		a section of		(P)	-				
Cod. IND358NM	Cod. II	ND358FRN	M	Cod. F	ND358NM		Cod. IND	3RX	
400 V freq. I		20°C	m.			Ĩt	Kg	Z Y C m. *X	
6,2 kW 6,2 kW 16A 20-5	50 10	continuous	3	10	Liquid Cooling	20	65	43x43x104	

Teknel S.r.l. - via Montello 48, 33040 Visco (UD), Italy - www.teknel.com - mail@teknel.com - tel. +39 0432837914





8 kW

INDUCTION HEATER

8 kW three-phase 400V Induction Heater. With compact dimensions, excellent for structural metal shops and top of the range for workshops and body shops that also work on commercial vehicles. It immediately heats the piece, for heating, straightening and releasing elements in **ferrous material or aluminium**, to straighten frames, release joints or rusty bolts, remove grouts and paints.

The very powerful liquid cooling system makes it possible to perform heating jobs without interruption. Its compact size means it occupies very little space in the workshop.

It is also equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected situations.





HIGH EFFICIENCY INDUCTORS

Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR		
		*			
Cod. IND11ST	Cod. IND1621FR	Cod. IND1621R	Cod. IND8RX		
400 V freq. kt			Kg Z Yróm.*x		
8 kW (%) 15-50	16 continuous 4	10 Liquid Cooling	20 80 43x43x104		



Cod. IHD1000

11 kW

INDUCTION HEATER

Induction heater with 11 kW three-phase 400V power, suitable for structural metal shops, workshops and body shops that work on commercial vehicles and lorries. It immediately heats the piece, for straightening frames of **ferrous material and aluminium**, to release joints or rusty bolts, straighten transmission shafts, remove bearings, pre-heating etc.

Powerful and efficient, it creates heat directly inside the metal at a depth of 5 mm. It can heat a surface area of 40x40mm (thickness 10mm) to red heat (800°C) in just 6 seconds.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts.

The liquid cooling system is very powerful and makes it possible to perform heating jobs for prolonged amounts of time without interruption.





Weighing 95 kg it is compact and the braking wheels make it easy to move.

The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.

HIGH EFFICIENCY INDUCTORS

Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR		
		3			
Cod. IND11ST	Cod. IND1621FR	Cod. IND1621R	Cod. IND8RX		
400 V freq. kH 11 kW 8 16A 15-50		10 Liquid Cooling	Image: Kg Z 25 100 50x50x100		



Cod. IHD1300

13 kW

INDUCTION HEATER

Induction heater with 13 kW three-phase 400V power, suitable for structural metal shops, workshops and body shops that work on commercial vehicles and lorries. It immediately heats the piece, for straightening frames of **ferrous material and aluminium**, to release joints or rusty bolts, straighten transmission shafts, remove bearings, pre-heating etc.

Powerful and efficient, it creates heat directly inside the metal at a depth of 5 mm. It can heat a surface area of 40x40mm (thickness 10mm) to red heat (800°C) in just 5 seconds.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts.

The liquid cooling system is very powerful and makes it possible to perform heating jobs for prolonged amounts of time without interruption.



Weighing 95 kg it is compact and the braking wheels make it easy to move. The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.

HIGH EFFICIENCY INDUCTORS

Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDAR	D INDUC	TOR	FRONT	FRONT INDUCTOR			UND TIP DUCTOR	RI	RING INDUCTOR		
						Contraction of the second seco	Ŷ	$\boldsymbol{\mathcal{C}}$			
Cod.	IND11ST		Cod. I	ND1621F	R	Cod. IND1621R			Cod. IND8RX		
- ST	400 V	freq. kHz		20°C	- m			Ĩ	Kg	Z Y≁Cm.→X	
13 kW	🛞 16A	15-50	16	continuous	5	10	Liquid Cooling	25	100	50x50x100	



Cod. IHD2000



INDUCTION HEATER

Perfect induction heater for structural metal shops and workshops that constantly work on commercial vehicles, lorries, trucks and heavy vehicles in general and which need to heat large thicknesses of metal in just a few seconds. It immediately heats the piece, for straightening frames of **ferrous material and aluminium**, to remove king pins, to release joints or rusty bolts, straighten transmission shafts, remove bearings, pre-heating etc.

Featuring exceptional power and efficiency, it creates heat directly inside the metal at a depth of 6 mm. It can heat a surface area of 40x40mm (thickness 12mm) to red heat (800°C) in just 4 seconds.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts.

The liquid cooling system is very powerful and makes it possible to perform heating tasks for prolonged amounts of time without interruption. Weighing 150 kg it is easy to move thanks to the sturdy braking wheels.




EKN

The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.




HIGH EFFICIENCY INDUCTORS





Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTO	R FRON	FRONT INDUCTOR			UND TIP DUCTOR	R	RING INDUCTOR			
						$\boldsymbol{\mathcal{C}}$				
Cod. IND11ST	Cod.	IND1621	-R	Cod.	IND1621R		Cod. IND8RX			
400 V free		20°C			E.	Ĩ	Kg	Z Y≁Cm.→X		
16 kW 32A 1	-50 25	continuous	6	10	Liquid Cooling	25	150	51x60x111		



XPERIENCE 18

Cod. XP18

18 kW

INDUCTION HEATER

New induction heater with exceptional power and efficiency, designed to heat every type of metal, including aluminium.

With 18kW of power it is among the top range of machines for structural metal shops and workshops that constantly work on commercial vehicles, lorries, trucks, farming equipment and heavy vehicles in general and which need to heat large thicknesses of metal in just a few seconds, for extended work times.

It immediately heats the piece, for straightening frames of **ferrous material and aluminium**, to remote king pins, to release joints or rusty bolts, straighten transmission shafts, remove bearings, pre-heating etc. It creates heat directly inside the metal and can heat a surface area of 40x40 (thickness of 16mm) to red heat (800°C) in just 4 seconds.



No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts. The liquid cooling system is very powerful and makes it possible to perform heating jobs for prolonged amounts of time without interruption. Weighing 150 kg it is easy to move thanks to the sturdy braking wheels. It is also equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected situations. - Optional: PLC to control automatic processes, even remotely.







Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD INDUCTOR	FRONT INDUCTOR	ROUND TIP INDUCTOR	RING INDUCTOR			
		A				
Cod. IND11ST	Cod. IND1621FR	Cod. IND1621R	Cod. IND8RX			
400 V freq. kH			Kg Z Y+Cm.*X			
18 kW 32A 15–50	32 continuous 6	10 Liquid Cooling	25 150 51x60x111			



XPERIENCE 22

Cod. XP22

22 kW

INDUCTION HEATER

Faster and more powerful than ever! Designed to heat every type of metal including aluminium.

Top of the range for structural metalwork shops and workshops that constantly work on commercial vehicles, lorries, trucks, farming equipment, wheel loaders for quarries and mines and that need to heat large metal thicknesses in just a few seconds; it can work for a long time without interruption thanks to the extremely powerful double liquid cooling system.

It immediately heats the piece, for straightening frames of **ferrous material and aluminium**, to remove king pins, to release captive screws, rusty joints or bolts, straighten transmission shafts, remove bearings, pre-heating etc.



It creates heat directly inside the metal and can heat a surface area of 40x40 (thickness of 16mm) to red heat (800°C) in just 3 seconds.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts. It is also equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected situations.



HIGH EFFICIENCY INDUCTORS

Wide range of inductors designed to provide maximum power. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.

STANDARD II	NDUCTOR	FRO	FRONT INDUCTOR			UND TIP DUCTOR	R	RING INDUCTOR			
		1			-	Ŷ	C				
Cod. IND	Cod. IND11ST			R	Cod.	IND1621R		Cod. IND	8RX		
	D0 V freq.	KHz -AM	- 20°C	m			It	Kg	Z Y≝Cm.*X		
	32A 15-	50 32	continuous	6	10	DOUBLE Liquid Cooling	30	190	101x64x95		

BUTTERFLY EVOLUTION Cod. BFHEVO

3,5 kW

PORTABLE INDUCTION HEATER FOR BODYSHOP

Designed for body work shops.

One-of-a-kind for its characteristics, it combines the possibility of using the 3.5kW liquid-cooled power torch and the specific body shop accessories, suitable for easily removing adhesives without leaving glue residues, raising dents caused by hail and easily removing fixed vehicle windows.

It immediately heats the piece, for straightening and releasing **ferrous material or aluminium elements**.

The liquid cooling system makes it possible to perform heating tasks without interruption.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts.

Weighing 9 kg it is the smallest heater of its kind, suitable for body work shops, tyre shops and car shops. The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.





TWICE THE HEATING,

HALF THE CONSUMPTION AND WEIGHT!

Thanks to its exceptional characteristics of yield, efficiency and weight/power ratio (9kg/3.5kW) this model compares to no other induction heater on the market.

The liquid-cooled power inductor creates heat directly inside the metal at a depth of 2.5 mm. It can heat a surface area of 30x30mm (thickness 3mm) to red heat (800°C) in just 4 seconds.

- Optional: trolley
- Optional: torch support arm
- Possibility of using air-cooled auto body accessories.

NEW PATENTED INDUCTORS WITH QUICK CONNECTION


Wide range of patented inductors which increases its efficiency, easy to replace in seconds.

The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.



AUTO BODY ACCESSORIES

Specially designed for body work, they allow you to easily remove dents without having to repaint, remove adhesives or mouldings without leaving glue residues, remove rear windows and the fixed side windows by dissolving the glue that seals them, without leaving putty on the body.



AN AN	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	-AM-	20°C	E T			Ĩt	Kg	Z Y=Cm.*X
3,5 kW	V	20-60	20	30 minutes (accessories air cooling 20 min.) MAX POWER	1,8	4	Liquid Cooling	1,5	9	21x45x26



DRAGON 300 EVOLUTION Cod. IHDEVO

3,9 kW

INDUCTION HEATER FOR BODYSHOP

Designed for body work shops.

One-of-a-kind for its characteristics, it combines the possibility of using the 3.9kW liquid-cooled power torch and the specific body shop accessories, suitable for easily removing adhesives without leaving glue residues, raising dents caused by hail and easily removing fixed vehicle windows.

It immediately heats the piece, for straightening and releasing **ferrous material or aluminium elements**. In comparison to the portable system, it has an upgraded liquid cooling system that makes it possible to perform heating jobs for much longer amounts of time without interruption.

No naked flames means it is also possible to work near cables, pipes or other heat-sensitive parts.

Weighing just 39 kg it is small and convenient, suitable for body shops, tyre shops and car workshops.

The machine is equipped with a special **INSULATION TRANSFORMER** that guarantees maximum operator safety, even in the most unexpected conditions.





NEW PATENTED INDUCTORS WITH QUICK CONNECTION

Wide range of patented inductors which increases its efficiency, easy to replace in seconds. The flux concentrator and the protective cap resistant to high temperatures are blocked without glue.



AUTO BODY ACCESSORIES

Specially designed for body work, they allow you to easily remove dents without having to repaint, remove adhesives or mouldings without leaving glue residues, remove rear windows and the fixed side windows by dissolving the glue that seals them, without leaving putty on the body.



TWICE THE HEATING, HALF THE CONSUMPTION AND WEIGHT!

Thanks to its exceptional characteristics of yield, efficiency and weight this model compares to no other induction heater on the market.

The liquid-cooled power inductor creates heat directly inside the metal at a depth of 2.5 mm. It can heat a surface area of 30x30mm (thickness 3mm) to red heat (800°C) in just 3 seconds.



- AN	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	-AM-	20°C	m		J.	I	Kg	Y*Cm.*X
3,9 kW	\checkmark	20-60	20	45 minutes (accessories air cooling 20 min.) MAX POWER	3	6	Liquid Cooling	5	39	43x43x62

Teknel S.r.l. - via Montello 48, 33040 Visco (UD), Italy - www.teknel.com - mail@teknel.com - tel. +39 0432837914

HORNET

Cod. DF3

3 kW

PORTABLE INDUCTION HEATER FOR BODYSHOP

Designed for the body shop. 3kW of power and 5 kg of weight. It is possible to use 5 accessories for specific use on body work, to detach stickers and mouldings without leaving residues of glue on the paint, release bolts, detach fixed windows and raise dents caused by hail.

Ideal for removing any type of material glued onto metal surfaces, removing paint, fixed rear and side windows, mouldings, anti-drumming compounds and adhesives, without leaving glue residues.

It releases rusty bolts or removes dents caused by hail, saving many hours of work. With the accessories it removes stickers, windows and heats bolts, it is also possible to work on aluminium.






AUTO BODY ACCESSORIES

Specially designed for body work, they allow you to easily remove dents without having to repaint, remove adhesives or mouldings without leaving glue residues, remove rear windows and the fixed side windows by dissolving the glue that seals them, without leaving putty on the body.



	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	+AM+	(20°C)				It	Kg	Y≝cm.*X
3 kW	\checkmark	20-60	20	20 minutes MAX POWER	3	3	Air Cooling	1	4,5	21x45x22

Teknel S.r.l. - via Montello 48, 33040 Visco (UD), Italy - www.teknel.com - mail@teknel.com - tel. +39 0432837914



Designed to remove hail dents. New design and new electronics with possibility of using 2 accessories.

Thanks to the magnetic field produced by the induction, the metal is "drawn" by the heat, raising the dent. All without damaging the paint, saving hours of work.

Thanks to its compact size and weight of only 3 kg, it is easy to carry. The machine's power adjustment means it can be set according to the thickness of the metal being processed. The start button is located directly on the interchangeable accessory to work more easily without pedals.





AUTO BODY ACCESSORIES


Specially designed for body work, they allow you to easily remove dents without having to repaint.



- FR	SHUCKO 230 V 2P+T+PE 50-60Hz	freq. kHz	-AM-	20°C				Ĩ	Kg	Z Y [_] Cm. [*] X
0,4 kW	V	20-60	2	20 minutes MAX POWER	3	3	Air Cooling	1	3,5	16x30x22







- Sheet metal drawing
- Steel hardening
- Pulley hardening
- Braze welding
- Shrink fitting
- Pre-heating
- Sheet metal tempering
- Sheet metal drawing
- Tie rod straightening
- Frame straightening
- Bearing removal
- Grout and paint removal
- Bolt and nut release

Distribuited by

- King pin removal
- Transmission shaft straightening
- Rigid axis straightening
- Spring straightening or bending
- Suspension and shock absorber removal
- Brake duct processing
- Ball joint release
- Muffler release
- Lambda probe release
- Steering arm release
- Exhaust release
- Wheel bolt release
- Rusty pins and captive screw release



Via Montello 48 Visco (Ud) T. +39 0432 837914 mail@teknel.com www.teknel.com

made in Italy